

Vintage Prestige

RBxx90

Formulation	Water-based
What it is used for	Coating
Where to use it	Outdoors, Indoors
On which object	Furniture, Fences and enclosures, Frames and skirting boards, Windows and shutters, Gazebos, garden houses and doghouses, Garden furniture, Tiles, Doors, Front doors and entry doors, Claddings, Claddings and boiserie, Outdoor beams, Indoor beams
Material	Concrete, Ceramic, Cotto tiles, Granite, Stoneware, Laminated wood, Wood, Marble, Metal, Wall, Plastic, PVC, Fabric, Glass, Wicker
Final result	Full colour
Certifications	INDOOR AIR EMISSIONS A+ (A+ A B C); Complies with standard EN 71-3 Toy safety

Safety information

Contains: 2-methyl-4-isothiazolin-3-one; mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2h-isothiazol-3-one (3:1); 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. The empty container must be delivered closed, with the original cap, to a recycling center. Check the dispositions of your municipality. EU limit value for this product (cat. A/e): 130 g/L. Maximum VOC content for this product 65 g/L.

*** RB1290: Contains:** Mixture of: 5-chloro-2-methyl-2h-isothiazol-3-one and 2-methyl-2h-isothiazol-3-one (3:1); 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. The empty container must be delivered closed, with the original cap, to a recycling center. Check the dispositions of your municipality. EU limit value for this product (cat. A/e): 130 g/l. Maximum VOC content for this product 50 g/l.

*** RB2090: Contains:** 2-methyl-4-isothiazolin-3-one; mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2h-isothiazol-3-one (3:1); 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. This product contains microplastics. To minimize release into the environment: cover the work area before application, collect spills with absorbent material, do not pour the product into drains, and do not rinse the container before disposal. Collect any wash water and dispose of it at a waste collection center. Avoid release to the environment. The empty container must be delivered closed, with the original cap, to a recycling center. Check the dispositions of your municipality. EU limit value for this product (cat. A/e): 130 g/L. Maximum VOC content for this product 65 g/L.

Copyright © 2026 Renner Italia S.p.A

Fields of application

Wood, tiles, metal, glass, plastic, wall, fabric, steel and galvanised steel sheet. For indoor and outdoor use.

Information

Vintage Prestige is a ultra-matt enamel. It is a high-covering product, which strongly adheres to all kinds of surfaces. The special resins in its formulation give the product a thick consistency, ideal for creating textured effects without the need to add chalk. If a smooth finish is desired, it is recommended to dilute the product with 10% water. Vintage Prestige is a washable product. No sanding, no stripping, no primer application required. The application of two coats is recommended. **Toy Safety: tested according to standard EN 71.3.**

Instructions

Clean the surface from dirt, dust and grease by means of Clean & Grip VY0500, because these substances could avoid the adhesion of the coating. If old coatings peeled off, sand with 150-180 grit sandpaper. Spread the product on the surface. After 2 hours it is possible to apply a second coat. To decorate rusty metal surfaces, remove the rust with sandpaper or metallic brush. Apply an antirust, then apply Vintage Prestige products. RBxx90 can be diluted up to 10% for brush application and up to 15-20% for spray application.

Packaging

500 ml

Quick info

Storage 5 °C	Final drying time 6-8 hours	Drying time between coats 4-6 hours	Gloss level 5	Mix it well before use	Specific weight 1.2 ± 0.2 g/cm³
Ready to use	Yield 8–10 m²/L	Solid content 60 ± 10 %	Tack-free 2 hours	Painting 10 °C	Viscosity 14000 ± 1000 cP
Brush Roller Sponge					

Available colours

RB1090
Dark cherry

RB1190
Milkshake

RB1290
Hazelnut

RB1390
Vanilla

RB1490
Coconut

Copyright © 2026 Renner Italia S.p.A



RB1590
Mintgreen



RB1690
Aniseed




RB1790
Juniper



RB1890
Truffle



RB1990
Marzipan



RB2090
Milk




RB2190
Licorice



RB2490
Caramel



RB2290
Sage



RB2390
Peach

Copyright © 2026 Renner Italia S.p.A